

Yearling & Ultrasound Data

BULLS

LOT #	Freeze Brand	Adj. YW	YW Ratio	ADG Ratio	Adj. IMF	IMF Ratio	Adj. RE	RE Ratio	Adj. Scrotal
1	0104	1342	116	127	4.37	94	13.1	101	40
2	0101	1408	122	119	5.4	117	13.7	105	42
3	0102	1189	103	114	4.37	94	12.4	95	35
4	0103	1286	111	121	3.89	84	12.8	98	40
5	0201	1255	110	91	5.61	127	13.8	101	35
6	0127	1210	104	88	4.53	98	14.1	108	38
7	0125	1198	103	121	6.4	138	13.8	106	37
8	0126	1147	99	78	5.72	124	13.3	102	36
9	0128	1156	100	102	5.91	123	14.7	111	36
10	0129	1125	97	76	5.97	129	13.8	106	40
11	0107	1308	115	140	5.93	134	12.5	92	38
12	0106	1197	100	91	3.69	77	14.1	106	36
13	0112	1187	100	90	3.32	69	13.6	102	36
14	0132	1231	106	70	5.32	129	12.7	96	40
15	0133	1370	118	115	5.93	144	15.3	116	40
16	0209	1231	109	88	3.59	95	14.5	112	39
17	0155	1203	104	104	3.41	74	12.8	98	32
18	0148	1227	100	105	5.35	111	12.6	95	38
19	0143	1344	116	115	3.86	83	13.8	106	38
20	0142	1193	103	90	3.43	74	13.8	106	36
21	0172	1232	106	94	3.01	73	14	106	35
23	0156	1249	111	88	4.51	120	13	101	39
24	0116	1195	103	111	4.37	106	13.5	102	37
25	0152	1275	110	131	3.92	95	12.5	95	36
26	0197	1236	107	91	5.3	128	12	91	37
27	0199	1252	110	127	4.39	100	13.5	99	38
28	0169	1139	101	72	3.54	94	12.3	95	37
29	0208	1147	102	82	3.15	84	12	93	36
30	0113	1202	104	118	4.06	88	12	92	36
31	0198	1224	106	91	2.35	57	12.4	94	39
32	0183	1312	115	123	4.84	110	15.8	116	39
33	0185	1190	105	97	3.14	71	14.5	107	39
34	0149	1183	102	110	2.92	71	12.4	94	37
35	0151	1188	102	109	3.12	76	13.8	105	39
36	0124	1005	87	90	4.78	103	12.7	98	37
37	0123	1163	101	90	5.97	145	13.2	100	40
38	0188	1124	99	102	4.14	94	14.1	104	36
39	0193	1213	105	114	3.64	88	12.4	94	38
40	0122	1148	100	87	3.74	78	12.1	91	39
41	0130	1080	93	77	3.62	88	12.3	93	36
42	0131	1148	99	104	6.03	146	13.2	100	39
43	0253	1260	112	130	3.51	93	13.8	107	36

Yearling & Ultrasound Data BULLS

LOT #	Freeze Brand	Adj. YW	YW Ratio	ADG Ratio	Adj. IMF	IMF Ratio	Adj. RE	RE Ratio	Adj. Scrotal
44	0214	1171	101	109	4.15	100	14.4	109	40
45	0216	1190	103	77	4.57	111	13	98	41
47	0114	1167	101	84	3.96	96	14.5	110	37
48	0109	1148	101	127	3.63	82	13.7	101	37
49	0108	1158	100	135	5.93	144	12.2	92	37
50	0110	1121	97	115	3.2	69	12.7	98	36
51	0111	1022	88	94	3.57	77	13	100	34
52	0247	1260	109	113	4.17	101	16.1	122	37
53	0147	1230	106	72	6.56	142	13.6	105	37
54	0146	1253	100	147	4.26	89	12.3	92	38
55	0144	1243	107	115	4.77	103	12.3	95	38
56	0210	1134	98	139	3.44	83	12.2	92	35
57	0229	1310	113	96	4.24	103	14	106	38
58	0211	1196	105	100	5.03	114	13.4	99	38
59	0204	1181	102	91	5.41	117	12	92	39
60	0205	1163	100	123	5.4	117	12.5	96	37
61	0203	1044	90	94	5.22	113	11	85	36
62	0207	1155	100	123	5	108	11.9	92	38
63	0163	1173	103	84	3.92	104	13.4	104	32
64	0162	1077	95	85	4.41	117	12.8	99	33
65	0165	1122	100	78	3.71	98	12.7	98	34
66	0166	1192	103	84	3.74	91	13.8	105	39
67	0161	1069	95	75	3.69	98	12.6	98	35
68	0192	1146	101	66	4.52	120	13.3	103	37
69	0239	1101	95	84	5.11	124	12.5	95	38
70	0191	1225	108	124	2.08	55	14.2	110	36
71	0189	1176	102	85	2.98	72	13.9	105	36
72	0190	1132	98	86	4.36	106	13	98	36
73	0157	1183	100	67	4.94	103	15.2	114	38
74	0158	1195	100	113	6.68	139	12.5	94	36
75	0159	1156	100	98	4.38	95	13.2	102	35
76	0160	1078	93	88	4.69	101	13.6	105	36
77	0181	1065	92	108	4.45	108	11.9	90	35
78	0194	1213	107	104	3.06	81	14.2	110	35
79	0196	1161	100	99	3.54	86	13.9	105	35
80	0195	1075	94	86	4.07	108	12.7	98	35
81	186	1185	102	92	3.06	74	14.7	111	40
82	0175	1078	94	64	4.42	100	11.8	87	36
83	0223	1272	112	95	4.21	95	12.6	93	39
84	0220	1189	103	114	4.3	104	13.7	104	37
85	0255	1154	103	120	2.88	76	11.4	88	35
86	0145	1057	91	95	5.44	117	14	108	34
87	0215	1169	103	120	3.76	85	14.1	104	36

Yearling & Ultrasound Data BULLS

LOT #	Freeze Brand	Adj. YW	YW Ratio	ADG Ratio	Adj. IMF	IMF Ratio	Adj. RE	RE Ratio	Adj. Scrotal
88	0252	1065	95	88	4.46	118	12.1	94	34
89	0246	1209	104	107	4.25	103	12.9	98	37
90	0105	1096	94	98	3.22	70	12.7	98	33
91	0221	1060	91	79	3.17	77	13.3	101	37
92	0218	1137	98	86	2.78	67	14.3	108	39
93	0217	1095	96	96	3.8	86	13.8	101	36
94	0173	1179	102	135	3	73	12.6	95	35
95	0119	1104	95	90	4.23	91	13.8	106	38
96	0120	1092	94	52	4.06	88	13.5	104	38
97	0118	1076	93	85	4.4	95	12.5	96	38
98	0117	1085	100	107	5.29	110	12.7	95	35
99	0150	1171	101	96	4.26	103	13.6	103	40
100	0153	1145	99	124	4.23	102	12.1	92	40
101	0134	1100	98	69	5.24	139	11.4	88	38
102	0174	1178	102	85	3.72	90	11.9	90	37

Yearling & Ultrasound Data HEIFERS

LOT #	Freeze Brand	Adj. YW	YW Ratio	Adj. IMF	IMF Ratio	Adj. RE	RE Ratio
103	0056	1074	131	7.18	104	10.9	125
104	0011	877	107	9.28	134	9.7	111
105	0042	895	108	9.83	127	11.6	133
106	0019	876	106	8.09	105	10.3	118
107	0021	881	100	8.31	114	9.1	105
108	0048	919	100	7.49	100	9.3	100
109	0058	964	118	6.99	101	9.2	106
110	0024	987	119	6.4	103	9.7	114
111	0066	897	109	6.42	93	10.1	116
112	0017	897	109	8.11	105	10.1	116